Journal of Internal Medicine 1990; **228**: 661–666

Author Index

Aagenaes Ø, *see* Haakens K *et al.*, 457
Åberg H, *see* Leppert J *et al.*, 235
Abrahamsen AM, Digranes Ø & Gisholt K. Comparison of the side-effects of pindolol and atenolol in the treatment of hypertension, 219
Abrams HB, *see* McAlister NH *et al.*, 193
Adner N & Nygren A. Insulin sensitivity in alcoholics in a withdrawal state, 59
Akar N & Arcasoy A. Alcohol and zinc deficiency: contribution to villous atrophy, 412
Al-Harthi SS, Karrar O, Al-Mashhadani SA & Saddique AA. Metabolite and hormonal profiles in heat stroke patients at Mecca Pilgrimage, 343
Al-Mashhadani SA, *see* Al-Harthi SS *et al.*, 343
Alam M, Höglund C, Thorstrand C & Philip A. Atrioventricular plane displacement in severe congestive heart failure following dilated cardiomyopathy or myocardial infarction, 569
Albano JDM, *see* Venkat Raman G *et al.*, 525
Almirall J, *see* Montoliu J *et al.*, 35
Amano T, *see* Shindo K *et al.*, 91
Angelin B, *see* Wiklund O *et al.*, 241
Appleyard M, *see* Lange P *et al.*, 115
Arcasoy A, *see* Akar N, 412
Arnberg H, *see* Eriksson B *et al.*, 103
Arnesen H, *see* Smith P, 253
Arvidsson A, *see* Kazzam E *et al.*, 183
Asplund K & Britton M. Do-not-resuscitate orders in Swedish medical wards, 139
Asplund K, *see* Carlberg B *et al.*, 291
Asplund K, *see* Olsson T *et al.*, 287
Asvaldsdottir H, *see* Skúladóttir GV *et al.*, 563

Babany G, *see* Hautekeete ML *et al.*, 533
Bäck O, *see* Nilsson TK *et al.*, 249
Bäckman E & Henriksson KG. Effect of sodium selenite and vitamin A treatment in myotonic dystrophy, 577
Bacojanis C, *see* Tsavaris N *et al.*, 451
Beldecos D, *see* Tsavaris N *et al.*, 451
Bendtson I, *see* Pramming S *et al.*, 641
Bengtson J-P, *see* Bengtsson A *et al.*, 173
Bengtsson A, Bengtson J-P, Rydenhag Å, Roxvall L & Heideman M. Accumulation of anaphylatoxins and terminal complement complexes in inflammatory fluids, 173
Bengtsson C, *see* Lundgren H *et al.*, 597
Bengtsson L, *see* Lundgren H *et al.*, 597
Benhamou J-P, *see* Hautekeete ML *et al.*, 533
Berg A-L, Hansson P & Nilsson-Ehle P. Salt resistant lipase activity in human adrenal gland is increased in Cushing's disease, 257
Berglund L, *see* Wiklund O *et al.*, 241
Bhatnagar D, Durrington PN, Neary R & Miller JP. Elevation of skeletal muscle isoform of serum creatine kinase in heterozygous familial hypercholesterolaemia, 493
Binder C, *see* Pramming S *et al.*, 641
Birkenhäger JC, *see* Hoogerbrugge N *et al.*, 261
Björkhem I, *see* Sjödén G *et al.*, 339
Björntorp P, *see* Krotkiewski M *et al.*, 385
Björntorp P, Despergola G, Sjöberg C, Pettersson P, Hallgren P, Boström K, Helander K-G & Seidell J. Alcohol consumption and synthesis of ethyl esters of fatty acids in adipose tissue, 557
Blankstein A, *see* Gillis S *et al.*, 275
Blomhoff, R, Skrede B & Norum KR. Uptake of chylomicron remnant retinyl ester via the low density lipoprotein receptor: implications for the role of vitamin A as a possible preventive for some forms of cancer, 207
Boberg M, *see* Vessby B, 165
Bollerslev J, *see* Gram J *et al.*, 367
Bondjers G, *see* Wiklund O *et al.*, 241
Böstrom K, *see* Björntorp P *et al.*, 557
Bratt G, *see* Holmstrom M *et al.*, 647
Brattström L, *see* Pessah-Rasmussen H *et al.*, 17
Briët E, *see* Rosendaal FR *et al.*, 633
Brismar K, Hulting A-L & Werner S. The growth hormone, prolactin and TSH response to TRH and L-dopa in patients with hyperlactinaemia and a normal-sized sella turcica may denote a pituitary adenoma, 435
Britton M & Carlsson A. Very high blood pressure in acute stroke, 611
Britton M, *see* Asplund K, 139
Britz A, *see* Reichard P, 511
Bröcker-Vriends AHJT, *see* Rosendaal FR *et al.*, 633
Brøsen K, *see* Hallas J *et al.*, 83
Bugge PM, *see* Gjørup T *et al.*, 147

Caidahl K, *see* Kazzam E *et al.*, 183
Cales P, Howaizi M, Vinel JP & Pascal JP. Could splenectomy worsen autoimmune manifestations?, 411
Campistol JM, *see* Montoliu J *et al.*, 35
Caraco Y, *see* Gillis S *et al.*, 275
Carlsson A, *see* Britton M, 611
Carlsson P, *see* Reichard P *et al.*, 511
Carmody E, *see* Cronin C *et al.*, 65
Carmody M, *see* Cronin C *et al.*, 65
Cars I, *see* Reichard P *et al.*, 511
Caruso MG, *see* Pauciullo P *et al.*, 425
Chen Y-DI, *see* Shieh SM *et al.*, 471
Cheng TO. Thromboembolism in mitral valve prolapse, 291
Choy AM & Lang CC. Gall-bladder perforation after long-term dapsone therapy, 409
Christensen T, *see* Schmitz A *et al.*, 347
Clausen J & Jensen G. Are blood pressure levels increasing in Denmark?, 443
Cortese C, *see* Pauciullo P *et al.*, 425
Cronin C, Carmody E, Ryan F & Carmody M. Acute renal failure and non-Hodgkins lymphoma in a patient with minimal change glomerulonephritis, 65
Czekalski S, *see* Widecka K *et al.*, 39

Dahl-Jørgensen K, *see* Haakens K *et al.*, 457
Damsbo N, *see* Hallas J *et al.*, 379
Daniel WG, *see* Mügge A *et al.*, 279
Danielson BG, *see* Salmonson T *et al.*, 53
De Leeuw I, *see* Wouters E *et al.*, 651
Despergola G, *see* Björntorp P *et al.*, 557
Digranes O, *see* Abrahamsen AM *et al.*, 219

Domingo P, *see* Lopez-Navidad A, 542
Domingo P, *see* Monmany J *et al.*, 323
Donker AJM, *see* Ter Wee PM *et al.*, 393
Durrington PN, *see* Bhatnagar D *et al.*, 493
Dutkiewicz T, *see* Widecka K *et al.*, 39

Edlund B-L, *see* Waldenlind L *et al.*, 655
Edvinsson L & Goadsby PJ. Extracerebral manifestations in migraine. A peptidergic involvement?, 299
Eide I, *see* Husebye E *et al.*, 617
Ekberg G, Grefberg N, Larsson L-O & Vaara I. Cigarette smoking and glomerular filtration rate in insulin-treated diabetics without manifest nephropathy, 211
Ellsinger B-M, *see* Pettersson P *et al.*, 311
Elmståhl S, *see* Pessah-Rasmussen H *et al.*, 17
Elmståhl S, *see* Stavenow L *et al.*, 9
Erikssen J, *see* Otterstad JE *et al.*, 305
Eriksson B, Arnberg H, Lindgren P-G, Lörelius L-E, Magnusson A, Lundqvist G, Skogseid B, Wide L, Wilanders E & Öberg K. Neuroendocrine pancreatic tumours: clinical presentation, biochemical and histopathological findings in 84 patients, 103
Eriksson M, *see* Wiklund O *et al.*, 241
Erlinger S, *see* Hautekeete ML *et al.*, 533
Ernst E. Jogging—for a healthy heart and worn-out hips?, 295
Essén-Gustavsson B, *see* Linderholm H *et al.*, 43

Fager G, *see* Wiklund O *et al.*, 241
Fairhead FW. Link between insulin resistance, hypertension and hyperlipidaemia, 656
Fischetti A, *see* Pauciullo P *et al.*, 425
Forberg R, *see* Tenerz Å *et al.*, 229
Forrest RD. Diabetes mellitus in North Sweden: prevalence assessed from prescriptions for anti-diabetic agents, 267
Forsell G, *see* Olsson M *et al.*, 591
Franco-Cereceda A, *see* Ullman B *et al.*, 583
Frei U, *see* Mügge A *et al.*, 279
Friedman B, *see* Gillis S *et al.*, 275
Friedman G, *see* Gillis S *et al.*, 275
Frithz G, *see* Sandhagen B *et al.*, 623
Fruergaard P, *see* Hansen PB *et al.*, 159
Fuh MM-T, *see* Shieh SM *et al.*, 471

Galvard H, *see* Pessah-Rasmussen H *et al.*, 17
Galvard H, *see* Stavenow L *et al.*, 9
Garsdal P, *see* Hansen PB *et al.*, 159
Gayno S, *see* Hautekeete ML *et al.*, 533
Gillis S, Friedman B, Caraco Y, Blankstein A, Yellin A & Friedman G. Septic arthritis of the sternoclavicular joint in healthy adults, 275
Gisholt K, *see* Abrahamsen AM *et al.*, 219
Gjesdal K, *see* Husebye E *et al.*, 617
Gjørup T, Hendriksen C, Bugge PM & Jensen AM. Global assessment of patients—a bedside study. II. Inter-observer variation and frequency of clinical findings, 147
Gnasso A, *see* Pauciullo P *et al.*, 425
Goadsby PJ, *see* Edvinsson L, 299
Gomez JA, *see* Monmany J *et al.*, 323
Gozdzik J, *see* Widecka K *et al.*, 39
Grahnén A, *see* Salmonson T *et al.*, 53
Gram J, *see* Munkvad S *et al.*, 361
Gram J, Bollerslev J, Nielsen HK, Larsen HF & Mosekilde L. The effect of carbonic anhydrase inhibition on calcium and bone homeostasis in healthy postmenopausal women, 367
Gram LF, *see* Hallas J *et al.*, 83, 379
Grefberg N, *see* Ekberg G *et al.*, 211
Gregersen S, *see* Rasmussen O *et al.*, 97
Grodum E, *see* Hallas J *et al.*, 83, 379
Grote R, *see* Mügge A *et al.*, 279
Groth S, *see* Lange P *et al.*, 115
Grundy SM. HMG-CoA reductase inhibitors, 201
Gudbjarnason S, *see* Skúladóttir GV *et al.*, 563
Gudbrandsson T, *see* Herlitz H *et al.*, 133
Gudmundsdóttir E, *see* Skúladóttir GV *et al.*, 563
Gudmundsson TV, *see* Skúladóttir GV *et al.*, 563
Gulba DC, *see* Mügge A *et al.*, 279

Haakens K, Hanssen KF, Dahl-Jørgensen K, Vaaler S, Aagenaes Ø & Mosand R. Continuous subcutaneous insulin infusion (CSII), multiple injections (MI) and conventional insulin therapy (CT) in self-selecting insulin-dependent diabetic patients. A comparison of metabolic control, acute complications and patient preferences, 457
Hägg E, *see* Carlberg B *et al.*, 291
Hägg E, *see* Olsson T *et al.*, 287
Haghfelt T, *see* Hallas J *et al.*, 83, 379
Halevy J. Management of cholesterol gallstones – are there alternatives to cholecystectomy?, 5
Hallas J, Harvald B, Gram LF, Grodum E, Brøsen K, Haghfelt T & Damsbo N. Drug related hospital admissions: the role of definitions and intensity of data collection, and the possibility of prevention, 83
Hallas J, Haghfelt T, Gram LF, Grodum E & Damsbo N. Drug related admissions to a cardiology department: frequency and avoidability, 379
Hallgren P, *see* Björntorp P *et al.*, 557
Hällgren R, *see* Kazzam E *et al.*, 183
Hamfelt A, *see* Pessah-Rasmussen H *et al.*, 17
Hansen F, *see* Pessah-Rasmussen H *et al.*, 17
Hansen F, *see* Stavenow L *et al.*, 9
Hansen PB, Garsdal P & Fruergaard P. The captopril test for identification of renovascular hypertension: value and immediate adverse effects, 159
Hanssen KF, *see* Haakens K *et al.*, 457
Hansson L, *see* Herlitz H *et al.*, 133
Hansson P, *see* Berg A-L *et al.*, 257
Hardarson T, *see* Skúladóttir GV *et al.*, 563
Hartford M, Herlitz J, Karlson BW & Risenfors M. Components of delay time in suspected acute myocardial infarction with particular emphasis on patient delay, 519
Harvald B, *see* Hallas J *et al.*, 83
Hautekeete ML, Babany G, Marcellin P, Gayno S, Palazzo E, Erlinger S & Benhamou J-P. Retroperitoneal fibrosis after surgery for aortic aneurysm in a patient with periarteritis nodosa: successful treatment with corticosteroids, 533
Heideman M, *see* Bengtsson A *et al.*, 173
Helander K-G, *see* Björntorp P *et al.*, 557
Hendriksen C, *see* Gjørup T *et al.*, 147
Henriksson KG, *see* Bäckman E, 577
Herlitz H, Hilme E, Jonsson O, Gudbrandsson T & Hansson L. Erythrocyte sodium transport in malignant hypertension, 133
Herlitz J, *see* Hartford M *et al.*, 519
Herlitz J, Karlson BW & Hjalmarson Å. Mortality and morbidity during one year of follow-up in suspected acute myocardial infarction in relation to early diagnosis: experiences from the MIAMI trial, 129
Hermansen K, *see* Rasmussen O *et al.*, 97
Hesch RD, *see* Nilsson P *et al.*, 603
Hilme E, *see* Herlitz H *et al.*, 133

Hirai Y, *see* Shindo K *et al.*, 91
Hirsch HJ, *see* Shilo S, 197
Hjalmarson Å, *see* Herlitz J *et al.*, 129
Höglund C, *see* Alam M *et al.*, 569
Holmgren K, Jacobsson H, Johnsson H & Löfsjögård-Nilsson E. Thermography and plethysmography, a non-invasive alternative to venography in the diagnosis of deep vein thrombosis, 29
Holmström M, Bratt G, Törnebohm E, Rhedin A-S & Lockner D. Fatal pulmonary embolism caused by streptokinase treatment of deep vein thrombosis of the leg?, 647
Hoogerbrugge N, Mol MJTM, Van Dormaal JJ, Rustemeijer C, Muls E, Stalenhoef AFH & Birkenhäger JC. The efficacy and safety of pravastatin, compared to and in combination with bile acid binding resins, in familial hypercholesterolaemia, 261
Høstmark AT, Oslund A, Simonsen S & Levorstad K. Lipoprotein-related coronary risk factors in patients with angiographically defined coronary artery disease: relation to number of stenosed arteries, 317
Howaizi M, *see* Cales P *et al.*, 411
Hubel KA. Cholera, shock and hypersensitivity: their actions on a final common path—intestinal intrinsic nerves, 1
Hulting A-L, *see* Brismar K *et al.*, 435
Hulting J, *see* Ullman B *et al.*, 583
Hulting J, *see* Waldenlind L *et al.*, 655
Husebye E, Kjeldsen SE, Lande K, Gjesdal K, Os I & Eide I. Increased arterial adrenaline is related to pain in uncomplicated myocardial infarction, 617

Inukai T, Kobayashi I, Kobayashi T, Ishii A, Yamaguchi T, Yamaguchi Y, Iwashita A, Ohshima AK, Shimoura Y & Kobayashi S. Parasympathetic nervous system activity in hypothyroidism determined by R-R interval variations on electrocardiogram, 431
Ishii A, *see* Inukai T *et al.*, 431
Iwashita A, *see* Inukai T *et al.*, 431

Jacobsson H, *see* Holmgren K *et al.*, 29
Jane F, *see* Monmany J *et al.*, 323
Jansson R, *see* Tenerz Å *et al.*, 229
Jensen AM, *see* Gjørup T *et al.*, 147
Jensen G, *see* Clausen J, 443
Jensen G, *see* Lange P *et al.*, 115
Jensen MK, *see* Moelby L *et al.*, 373
Jerntorp P, *see* Pessah-Rasmussen H *et al.*, 17
Jerntorp P, *see* Stavenow L *et al.*, 9
Jespersen J, *see* Munkvad S *et al.*, 361
Johnsson H, *see* Holmgren K *et al.*, 29
Jonson B, *see* Palmblad J *et al.*, 537
Jonsson O, *see* Herlitz H *et al.*, 133

Kanerud L, *see* Palmblad J *et al.*, 537
Karabelis A, *see* Tsavaris N *et al.*, 451
Karlberg B, Asplund K & Hägg E. High blood pressure in acute stroke—is it white coat hypertension?, 291
Karlberg BE, *see* Ottosson A-M, 503
Karlson BW, *see* Hartford M *et al.*, 519
Karlson BW, *see* Herlitz J *et al.*, 129
Karrar O, *see* Al-Harthi SS *et al.*, 343
Karvounis N, *see* Tsavaris N *et al.*, 451
Kazzam E, Waldenström A, Landelius J, Hällgren R, Arvidsson A & Caidahl K. Non-invasive assessment of left ventricular diastolic function in patients with systemic sclerosis, 183
Keisu M, Wiholm B-E & Palmblad J. Trimethoprim-sulphamethoxazole-associated blood dyscrasias. Ten years' experience of the Swedish spontaneous reporting system, 353
Keisu M, Wiholm B-E, Öst Å & Mortimer Ö. Acetazolamide-associated aplastic anaemia, 627
Kirstein P, *see* Wahlberg G *et al.*, 151
Kjeldsen SE, *see* Husebye E *et al.*, 617
Kluft C, *see* Munkvad S *et al.*, 361
Knutsen R, *see* Knutsen SF, 333
Knutsen SF & Knutsen R. Wives of coronary high-risk men—are they also at higher risk? The Tromsø Heart Study, 333
Kobayashi I, *see* Inukai T *et al.*, 431
Kobayashi S, *see* Inukai T *et al.*, 431
Kobayashi T, *see* Inukai T *et al.*, 431
Kosmidis P, *see* Tsavaris N *et al.*, 451
Kriegholm E, *see* Sjödén G *et al.*, 339
Kritinsson A, *see* Skúladóttir GV *et al.*, 563
Krotkiewski M, Seidell JC & Björntorp P. Glucose tolerance and hyperinsulinaemia in obese women: role of adipose tissue distribution, muscle fibre characteristics and androgens, 385
Krüger Ø, Westin S & Nymoen EH. Ischaemic heart disease among men in Norway during the period 1966–1985: two counties with different mortality time trends, 483

Lande K, *see* Husebye E *et al.*, 617
Landelius J, *see* Kazzam E *et al.*, 183
Lang CC, *see* Choy AM, 409
Lange P, Groth S, Nyboe J, Mortensen J, Appleyard M, Schnohr P & Jensen G. Phlegm production in plain cigarette smokers who changed to filter cigarettes or quitted smoking, 115
Lapidus L, *see* Lundgren H *et al.*, 597
Larsen HF, *see* Gram J *et al.*, 367
Larsson H. Treatment of severe colitis in Behcet's syndrome with thalidomide (CG-217), 405
Larsson L-O, *see* Ekberg G *et al.*, 211
Laws A & Reaven GM. Coronary heart disease in the absence of hypercholesterolaemia, 415
Lee, HA, *see* Venkat Raman G *et al.*, 69, 525
Leppert J, Åberg H, Levin K & Ringqvist I. Lower serum magnesium level after exposure to cold in women with primary Raynaud's phenomenon, 235
Levin K, *see* Leppert J *et al.*, 235
Levorstad K, *see* Høstmark AT *et al.*, 317
Lichtlen PR, *see* Mügge A *et al.*, 279
Lindblad L, *see* Reichard P *et al.*, 511
Lindén T, *see* Wiklund O *et al.*, 241
Linderholm H, Essén-Gustavsson B & Thornell L-E. Low succinate dehydrogenase (SDH) activity in a patient with a hereditary myopathy with paroxysmal myoglobinuria, 43
Lindgren P, *see* Rudnicki M *et al.*, 465
Lindgren P-G, *see* Eriksson B *et al.*, 103
Lindholm L, *see* Nilsson P *et al.*, 603
Lindstedt G, *see* Nystrom E *et al.*, 497
Lockner D, *see* Holmstrom M *et al.*, 647
Löfsjögård-Nilsson E, *see* Holmgren K *et al.*, 29
Lopez-Navidad A & Domingo P. Chronic infectious mononucleosis, 542
Lörelius L-E, *see* Eriksson B *et al.*, 103
Lund F, *see* Waldenlind L *et al.*, 655
Lundberg JM, *see* Ullman B *et al.*, 583
Lundberg P-A, *see* Nystrom E *et al.*, 497
Lundgren H, Bengtsson C, Lapidus L & Bengtsson L. Antihypertensive drugs and glucose metabolism: comparison between a diuretic, a beta-blocker and felodipine, a new

calcium antagonist in subjects with arterial hypertension and diabetes, 597
Lundqvist G, *see* Eriksson B *et al.*, 103

Madsbad S. Treatment of hyperglycaemia in the elderly with diabetes mellitus, 79
Magnusson A, *see* Eriksson B *et al.*, 103
Mamos E, *see* Widecka K *et al.*, 39
Mancini M, *see* Pauciullo P *et al.*, 425
Marcellin P, *see* Hautekeete ML *et al.*, 533
Marotta G, *see* Pauciullo P *et al.*, 425
Mashiba H, *see* Shigemasa C *et al.*, 23
Matsumoto Y, *see* Shindo K *et al.*, 91
Matsumura M, *see* Shindo K *et al.*, 91
McAlister NH, Abrams HB, Schlosser R & Sturtridge W. Unintentional self-intoxication with inorganic calcium, 193
McNair P, *see* Rudnicki M *et al.*, 465
Michelsen S, *see* Otterstad JE *et al.*, 305
Millar JGB, *see* Venkat Raman G *et al.*, 525
Miller JP, *see* Bhatnagar D *et al.*, 493
Milonacis N, *see* Tsavaris N *et al.*, 451
Mitani Y, *see* Shigemasa C *et al.*, 23
Miyakawa K, *see* Shindo K *et al.*, 91
Mizuno T, *see* Shindo K *et al.*, 91
Moelby L, Rasmussen K, Jensen MK & Pedersen KO. The relationship between clinically confirmed cobalamin deficiency and serum methylmalonic acid, 373
Mogensen CE, *see* Schmitz A *et al.*, 347
Mol MJTM, *see* Hoogerbrugge N *et al.*, 261
Møller A, *see* Schmitz A *et al.*, 347
Monmany J, Domingo P, Gomez JA, Sanz F, Roca-Cusachs A, Nolla J & Jane F. Effects of long-term treatment with metoprolol and hydrochlorothiazide on plasma lipids and lipoproteins, 323
Montoliu J, Almirall J, Ponz E, Campistol JM & Revert L. Treatment of hyperkalaemia in renal failure with salbutamol inhalation, 35
Mortensen J, *see* Lange P *et al.*, 115
Mortimer Ô, *see* Keisu M *et al.*, 353
Mosand R, *see* Haakens K *et al.*, 457
Mosekilde L, *see* Gram J *et al.*, 367
Motti C, *see* Pauciullo P *et al.*, 425
Mügge A, Gulba DC, Frei U, Wagenbreth I, Grote R, Daniel WG & Lichtlen PR. Renal artery embolism: thrombolysis with recombinant tissue-type plasminogen activator, 279
Muls E, *see* Hoogerbrugge N *et al.*, 261
Munkvad S, Jespersen J, Gram J & Kluft C. Interrelationship between coagulant activity and tissue-type plasminogen activator (t-PA) system in acute ischaemic heart disease. Possible role of the endothelium, 361

Neary R, *see* Bhatnagar D *et al.*, 493
Neil HAW & Thorogood M. Autonomic neuropathy in type II diabetes mellitus: the influence of obesity, 293
Nielsen B, *see* Sørensen HT *et al.*, 199
Nielsen HK, *see* Gram J *et al.*, 367
Nielsen JØ, *see* Sørensen HT *et al.*, 199
Nilsson BY, *see* Reichard P *et al.*, 511
Nilsson P, Lindholm L, Winther K, Scherstén B & Hesch RD. High urinary cAMP in hypertensives despite careful drug treatment—an epidemiological study from the Dalby population, 603
Nilsson TK, Sondell KM, Norberg BO & Bäck O. Plasma levels of endothelial-derived haemostatic factors in autoimmune thrombocytopenia and haemolytic anaemia, 249
Nilsson-Ehle P, *see* Berg A-L *et al.*, 257
Nilsson-Ehle P, *see* Stavenow L *et al.*, 9
Nitter-Hauge S, *see* Otterstad JE *et al.*, 305
Nolla J, *see* Monmany J *et al.*, 323
Norberg BO, *see* Nilsson TK *et al.*, 249
Nordenström J, *see* Sjödén G *et al.*, 339
Norum KR, *see* Blomhoff R *et al.*, 207
Nyboe J, *see* Lange P *et al.*, 115
Nygren A, *see* Adner N, 59
Nymoen EH, *see* Kruger O *et al.*, 483
Nyström E, Lundberg P-A & Lindstedt G. Rebound increase in serum thyrotropin, anti-'microsomal' antibodies and thyroglobulin after discontinuation of *L*-thyroxine, 497

Öberg K, *see* Eriksson B *et al.*, 103
Odeh M. The role of tumour necrosis factor-α in acquired immunodeficiency syndrome, 549
Ohshima AK, *see* Inukai T *et al.*, 431
Ólafsdóttir E, *see* Skúladóttir GV *et al.*, 563
Olofsson S-O, *see* Wiklund O *et al.*, 241
Olsson AG, *see* Wahlberg G *et al.*, 151
Olsson M, Rosenqvist M & Forsell G. Unnecessary deaths from valvular aortic stenosis, 591
Olsson T. Urinary free cortisol excretion shortly after ischaemic stroke, 177
Olsson T, Asplund K & Hägg E. Pituitary-thyroid axis, prolactin and growth hormone in patients with acute stroke, 287
Os I, *see* Husebye E *et al.*, 617
Oslund A, *see* Høstmark AT *et al.*, 317
Öst Å, *see* Keisu M *et al.*, 627
Otterstad JE, Erikssen J, Michelsen S & Nitter-Hauge S. Long-term follow-up in isolated ventricular septal defect considered too small to warrant operation, 305
Ottosson A-M & Karlberg BE. Nisoldipine—effects on the renin-angiotensin-aldosterone system and catecholamines. Studies in normotensive and hypertensive subjects, 503

Palazzo E, *see* Hautekeete ML *et al.*, 533
Palmblad J, *see* Keisu M *et al.*, 627
Palmblad J, Jonson B & Kanerud L. Treatment of drug-induced agranulocytosis with recombinant GM-CSF, 537
Pascal JP, *see* Cales P *et al.*, 411
Pauciullo P, Marotta G, Rubba P, Cortese C, Caruso MG, Gnasso A, Fischetti A, Motti C & Mancini M. Serum lipoproteins, apolipoproteins and very low density lipoprotein subfractions during 6-month fibrate treatment in primary hypertriglyceridaemia, 425
Paul R. Skeletal scintigraphy in coeliac disease, 401
Pedersen KO, *see* Moelby L *et al.*, 373
Pessah-Rasmussen H, *see* Stavenow L *et al.*, 9
Pessah-Rasmussen H, Jerntorp P, Stavenow L, Elmståhl S, Hansen F, Seidegård J, Galvard H, Brattström L & Hamfelt A. Eighty-year-old men without cardiovascular disease in the community of Malmö. Part II. Smoking characteristics and ultrasound findings, with special reference to glutathione transferase and pyridoxal-5-phosphate, 17
Pettersson P, *see* Björntorp P *et al.*, 557
Pettersson P, Ellsinger B-M, Sjöberg C & Björntorp P. Fat distribution and steroid hormones in women with alcohol abuse, 311
Philip A, *see* Alam M *et al.*, 569
Ponz, E, *see* Montoliu J *et al.*, 35
Pramming S, Thorsteinsson B, Bendtson I & Binder C. The relationship between symptomatic and biochemical hypoglycaemia in insulin-dependent diabetic patients, 641

Rasmussen K, *see* Moelby L *et al.*, 373
Rasmussen O, Gregersen S & Hermansen K. The predictive capability of the glycaemic response to spaghetti in non-insulin dependent (NIDDM) and insulin dependent (IDDM) diabetic subjects, 97
Reaven GM, *see* Laws A, 415
Reaven GM, *see* Shieh SM *et al.*, 471
Reichard P, Britz A, Carlsson P, Cars I, Lindblad L, Nilsson BY & Rosenqvist U. Metabolic control and complications over 3 years in patients with insulin dependent diabetes (IDDM): the Stockholm Diabetes Intervention Study (SDIS), 511
Revert L, *see* Montoliu J *et al.*, 35
Rhedin A-S, *see* Holmstrom M *et al.*, 647
Riis P. Why mask a good conscience as a bad conscience?, 77
Ringqvist I, *see* Leppert J *et al.*, 235
Risenfors M, *see* Hartford M *et al.*, 519
Roca-Cusachs A, *see* Monmany J *et al.*, 323
Roll M & Zetterquist S. Acute chest pain without obvious organic cause before the age of 40 years: response to forced hyperventilation, 223
Ronquist G, *see* Sandhagen B *et al.*, 623
Rosendaal FR, Smit C, Varekamp I, Bröcker-Vriends AHJT, van Dijck H, Suurmeijer TPBM, Vanderbroucke JP & Briët E. Modern haemophilia treatment: medical improvements and quality of life, 633
Rosenqvist M, *see* Olsson M *et al.*, 591
Rosenqvist M, *see* Sjödén G *et al.*, 339
Rosenqvist U, *see* Reichard P *et al.*, 511
Roxvall L, *see* Bengtsson A *et al.*, 173
Rubba P, *see* Pauciullo P *et al.*, 425
Rudnicki M, McNair P, Transbøl I & Lindgren P. Diagnostic applicability of intact and midregion/C-terminal parathyroid hormone assays in calcium metabolic disorders, 465
Rustemeijer C, *see* Hoogerbrugge N *et al.*, 261
Ryan F, *see* Cronin C *et al.*, 65
Rydenhag Å, *see* Bengtsson A *et al.*, 173

Saddique AA, *see* Al-Harthi SS *et al.*, 343
Salmonson T, Danielson BG, Grahnén A & Wikström B. Pharmacokinetics of intravenous recombinant human erythropoietin in patients with chronic renal failure 53
Samuelsson S-M, *see* Stavenow L *et al.*, 9
Sandhagen B, Frithz G, Waern U & Ronquist G. Increased whole blood viscosity combined with decreased erythrocyte fluidity in untreated patients with essential hypertension, 623
Sanz F, *see* Monmany J *et al.*, 323
Schaafsma G, *see* Van Beresteijn ECH *et al.*, 477
Scherstén B, *see* Nilsson P *et al.*, 603
Schlosser R, *see* McAlister NH *et al.*, 193
Schmitz A, Christensen T, Møller A & Mogensen CE. Kidney function and cardiovascular risk factors in non-insulin-dependent diabetics (NIDDM) with microalbuminuria, 347
Schnohr P, *see* Lange P *et al.*, 115
Seidegård J, *see* Pessah-Rasmussen H *et al.*, 17
Seidell J, *see* Björntorp P *et al.*, 557
Seidell JC, *see* Krotkiewski M *et al.*, 385
Sharman VL, *see* Venkat Raman G *et al.*, 69
Shen D-C, *see* Shieh SM *et al.*, 471
Shieh SM, Fuh MM-T, Shen D-C, Chen Y-DI & Reaven GM. Coronary artery disease in Chinese males without hypercholesterolaemia, 471
Shigemasa C, Mitani Y, Taniguchi S, Ueta Y, Urabe K, Tanaka T, Yoshida A & Mashiba H. Development of postpartum spontaneously resolving transient Graves' hyperthyroidism followed immediately by transient hypothyroidism, 23
Shilo S & Hirsch HJ. Compensated hypothyroidism presenting with galactorrhoea, 197
Shimoura Y, *see* Inukai T *et al.*, 431
Shindo K, Matsumoto Y, Hirai Y, Sumitomo M, Amano T, Miyakawa K, Matsumura M & Mizuno T. Measurement of leukotriene B4 in arterial blood of asthmatic patients during wheezing attacks, 91
Simonsen S, *see* Høstmark AT *et al.*, 317
Sjöberg A, *see* Wiklund O *et al.*, 241
Sjöberg C, *see* Björntorp P *et al.*, 557
Sjöberg C, *see* Pettersson P *et al.*, 311
Sjödén G, Rosenqvist M, Kriegholm E, Nordenström J & Björkhem I. Verapamil increases serum alkaline phosphatase in hypertensive patients, 339
Sjölund K. Zinc deficiency and enteropathy in alcoholics, 412
Skogseid B, *see* Eriksson B *et al.*, 103
Skrede B, *see* Blomhoff B *et al.*, 207
Skúladóttir GV, Gudmundsdóttir E, Ólafsdóttir E, Gudmundsson TV, Hardarson T, Kristinsson Á, Asvaldsdottir H, Snorrason SP & Gudbjarnason S. Influence of dietary cod liver oil on fatty acid composition of plasma lipids in human male subjects after myocardial infarction, 563
Smit C, *see* Rosendaal FR *et al.*, 633
Smith LR Jr. Musings on medical education in the United States, 545
Smith P & Arnesen H. Mortality in non-consenters in a post-myocardial infarction trial, 253
Smith U. Genetic factors, insulin resistance and hyperinsulinaemia, 657
Snorrason SP, *see* Skúladóttir GV *et al.*, 563
Sollevi A, *see* Ullman B *et al.*, 583
Sondell KM, *see* Nilsson TK *et al.*, 249
Sørensen HT, Nielsen JØ & Nielsen B. Problems in diagnosing meningitis in general practice, 199
Stalenhoef AFH, *see* Hoogerbrugge N *et al.*, 261
Stavenow L, *see* Pessah-Rasmussen H *et al.*, 17
Stavenow L, Elmståhl S, Jerntorp P, Nilsson-Ehle P, Pessah-Rasmussen H, Galvard H, Hansen F & Samuelsson S-M. Eighty-year-old men without cardiovascular disease in the community of Malmö. Part I. Social and medical factors, with special reference to the lipoprotein pattern, 9
Stegmayr BG. A study of patients with diabetes mellitus (type 1) and end-stage renal failure: tobacco usage may increase risk of nephropathy and death, 121
Sterner G. Renal artery stenosis and ACE inhibitor, 541
Sturtridge W, *see* McAlister NH *et al.*, 193
Sumitomo M, *see* Shindo K *et al.*, 91
Suurmeijer TPBM, *see* Rosendaal FR *et al.*, 633

Tanaka T, *see* Shigemasa C *et al.*, 23
Taniguchi S, *see* Shigemasa C *et al.*, 23
Tegzess AM, *see* Ter Wee PM *et al.*, 393
Tenerz Å, Forberg R & Jansson R. Is a more active attitude warranted in patients with subclinical thyrotoxicosis?, 229
Ter Wee PM, Tegzess AM & Donker AJM. Renal reserve filtration capacity before and after kidney donation, 393
Thornell L-E, *see* Linderholm H *et al.*, 43
Thorogood M, *see* Neil HAW, 293
Thorsteinsson B, *see* Pramming S *et al.*, 641
Thorstrand C, *see* Alam M *et al.*, 569
Törnebohm E, *see* Holmstrom M *et al.*, 647
Transbøl I, *see* Rudnicki M *et al.*, 465
Tsavaris N, Zinelis A, Karabelis A, Beldecos D, Bacojanis C, Milonacis N, Karvounis N & Kosmidis P. A randomized trial of

the effect of three non-steroid anti-inflammatory agents in ameliorating cancer-induced fever, 451

Ueta Y, *see* Shigemasa C *et al.*, 23
Ullman B, Franco-Cereceda A, Hulting J, Lundberg JM & Sollevi A. Elevation of plasma neuropeptide Y-like immunoreactivity and noradrenaline during myocardial ischaemia in man, 583
Urabe K, *see* Shigemasa C *et al.*, 23

Vaaler S, *see* Haakens K *et al.*, 457
Vaara I, *see* Ekberg G *et al.*, 211
Van Beresteijn ECH, Van Schaik M & Schaafsma G. Milk: does it affect blood pressure?, 477
Van Dijck H, *see* Rosendaal FR *et al.*, 633
Van Dormaal JJ, *see* Hoogerbrugge N *et al.*, 261
Van Gaal L, *see* Wouters E *et al.*, 651
Van Schaik M, *see* Van Beresteijn ECH *et al.*, 477
Vanderbroucke JP, *see* Rosendaal FR *et al.*, 633
Varekamp I, *see* Rosendaal FR *et al.*, 633
Venkat Raman G, Albano JDM, Millar JGB & Lee HA. Bartter's syndrome and diabetes mellitus, 525
Venkat Raman G, Sharman VL & Lee HA. Azathioprine and allopurinol: a potentially dangerous combination, 69
Vessby B & Boberg M. Dietary supplementation with n-3 fatty acids may impair glucose homeostasis in patients with non-insulin-dependent diabetes mellitus, 165
Vinel JP, *see* Cales P *et al.*, 411

Waern U, *see* Sandhagen B *et al.*, 623
Wagenbreth I, *see* Mügge A *et al.*, 279
Wahlberg G, Walldius G, Olsson AG & Kirstein P. Effects of nicotinic acid on serum cholesterol concentrations of high density lipoprotein subfractions HDL_2 and HDL_3 in hyperlipoproteinaemia, 151
Waldenlind L, Edlund B-L, Hulting J & Lund F. No effect of O-(β-hydroxyethyl)-rutoside on red cell filterability in patients with acute myocardial infarction, 655
Waldenström A, *see* Kazzam E *et al.*, 183
Waldenström J. Disease, race, geography and genes, 419
Walldius G, *see* Wahlberg G *et al.*, 151
Werner S, *see* Brismar K *et al.*, 435
Westin S, *see* Kruger O *et al.*, 483
Wide L, *see* Eriksson B *et al.*, 103
Widecka K, Gozdzik J, Dutkiewicz T, Mamos E & Czekalski S. Low plasma concentrations of atrial natriuretic peptide in untreated hypothyroid patients, 39
Wiholm B-E, *see* Keisu M *et al.*, 353, 627
Wiklund O, Angelin B, Fager G, Eriksson M, Olofsson S-O, Berglund L, Lindén T, Sjöberg A & Bondjers G. Treatment of familial hypercholesterolaemia: a controlled trial of the effects of pravastatin or cholestyramine therapy on lipoprotein and apolipoprotein levels, 241
Wikström B, *see* Salmonson T *et al.*, 53
Wilanders E, *see* Eriksson B *et al.*, 103
Winther K, *see* Nilsson P *et al.*, 603
Wouters E, Van Gaal L & De Leeuw I. Forty years of neuroglycopenia: neuropsychiatry for the internist, 651

Yamaguchi T, *see* Inukai T *et al.*, 431
Yamaguchi Y, *see* Inukai T *et al.*, 431
Yellin A, *see* Gillis S *et al.*, 275
Yoshida A, *see* Shigemasa C *et al.*, 23

Zetterquist S, *see* Roll M, 223
Zinelis A, *see* Tsavaris N *et al.*, 451

Journal of Internal Medicine 1990; **228**: 667–671

Subject Index

Acetazolamide
effect on calcium and bone homeostasis, 367
-associated aplastic anaemia, 627
Acquired immunodeficiency syndrome
role of tumour necrosis factor-α in, 549
Adipose tissue
distribution in obesity, 385
fatty acid ethyl ester synthesis in, 557
Adrenal gland
salt resistant lipase activity in, 257
Adrenaline
and pain in myocardial infarction, 617
Agranulocytosis
and trimethoprim-sulphamethoxazole, 353
treatment with recombinant GM-CSF, 537
Alcohol
and fatty acid ethyl esters in adipose tissue, 557
Alcoholism
insulin sensitivity and, 59
fat distribution and steroid hormones, 311
Aldosterone
effects of nisoldipine on, 503
Alkaline phosphatase
effect of verapamil on, 339
Allopurinol
in combination with azathioprine, 69
Anaphylatoxins
and terminal complement complexes, 173
Androgens
in obesity, 385
Angina pectoris
neuropeptide Y-like immunoreactivity in, 583
Anti-diabetic agents
prevalence of diabetes assessed from prescriptions for, 267
Anti-microsomal antibodies
after discontinuation of *L*-thyroxine, 497
Anticoagulation therapy
in a post-myocardial infarction trial, 253
Antihypertensive therapy
and glucose metabolism, 597
Aortic aneurysm
retroperitoneal fibrosis after surgery for, 533
Aortic valvular stenosis
unnecessary deaths from, 591
Aplastic anaemia
acetazolamide-associated, 627
Apolipoprotein
levels, effects of pravastatin or cholestyramine therapy, 241
levels during fibrate treatment, 425
Arginine vasopressin
and pain in myocardial infarction, 617
Atenolol
side-effects in treatment of hypertension, 219
Atrial fibrillation
and subclinical thyrotoxicosis, 229
Atrial natriuretic peptide
in untreated hypothyroidism, 39
Atrioventricular plane
displacement in congestive heart failure, 569
Autoimmune thrombocytopenia
,endothelial-derived haemostatic factors in, 249
Autoimmune thyroiditis
during early postpartum period, 23
Azathioprine
in combination with allopurinol, 69

Bartter's syndrome
and diabetes mellitus, 525
Behcet's syndrome
treatment of severe colitis in, 405
Beta-blockers
in treatment of hypertension, 219
in arterial hypertension and diabetes, 597
Bile acid-binding resins
and pravastatin in familial hypercholesterolaemia, 261
Blood dyscrasias
trimethoprim-sulphamethoxazole-associated, 353
Blood viscosity
and erythrocyte fluidity in hypertension, 623
Bone resorption
effect of carbonic anhydrase inhibition on, 367
Bone turnover
effects of verapamil on, 339
Bronchial asthma
leukotriene B4 levels in, 91

Calcium
unintentional self-intoxication with, 193
homeostasis, effects of verapamil on, 339
homeostasis, effect of carbonic anhydrase inhibition, 367
metabolic disorders, parathyroid hormone assays, 465
milk consumption and blood pressure, 477
and hypertension, 603
and erythrocyte fluidity in hypertension, 623
Calcium antagonists
in arterial hypertension and diabetes, 597
Cancer
role of Vitamin A as a possible preventive for, 207
Captopril
test for renovascular hypertension, 159
Carbonic anhydrase
effect of inhibition on bone resorption, 367
Cardiomyopathy
dilated, atrioventricular plane displacement, 569
Cardiovascular disease
social and medical factors, 9
and smoking habits, 17
Cardiovascular risk factors
and renal function, 347
Catecholamines
excretion after ischaemic stroke, 177
effects of nisoldipine on, 503
Chest pain
response to forced hyperventilation, 223

Cholecystectomy
alternatives to, 5
Cholecystitis
after dapsone therapy, 409
Cholera
shock and hypersensitivity, 1
Cholesterol
effect of pravastatin and bile acid-binding resins, 261
Cholestyramine
effects in treatment of familial hypercholesterolaemia, 241
Chromogranin levels
as a marker of neuroendocrine tumours, 103
Chronic bronchitis
smoking and phlegm production, 115
Chylomicron remnant retinyl ester
uptake via the low density lipoprotein receptor, 207
Coagulation
and tissue-type plasminogen activator, 361
Cobalamin
deficiency, a diagnostic test for, 373
Cod liver oil
effect on plasma lipid composition, 563
Coeliac disease
skeletal scintigraphy in, 401
Cold exposure
and magnesium levels in primary Raynaud's phenomenon, 235
Colitis
in Behcet's syndrome, treatment of, 405
Congestive heart failure
atrioventricular plane displacement in, 569
Coronary heart disease
lipoprotein-related risk factors, 317
wives of high-risk men, 333
in the absence of hypercholesterolaemia, 415
without hypercholesterolaemia, 471
Coronary risk factors
relation to number of stenosed arteries, 317
Corticosteroids
treatment of retroperitoneal fibrosis, 533
Cortisol
excretion after ischaemic stroke, 177
Creatine kinase
skeletal muscle isoform of, 493
Cushing's disease
salt resistant lipase activity in, 257

Dapsone
therapy, and cholecystitis, 409
Delay time
in suspected acute myocardial infarction, 519
Dermatitis herpetiformis
dapsone therapy for, 409
Diabetes mellitus
hyperglycaemia in the elderly with, 79
and glycaemic response to spaghetti, 97
and end-stage renal failure, 121
n-3 fatty acids and glucose homeostasis in, 165
smoking habits and glomerular filtration rate in, 211
prevalence assessed from prescriptions, 267
renal function and cardiovascular risk factors in, 347
metabolic control and complications, 511
and Bartter's syndrome, 525
arterial hypertension and, 597
symptomatic and biochemical hypoglycaemia in, 641
Diclophenac sodium
effect on paraneoplastic fever, 451
Disease
race, geography and genes, 419
Diuretics
in arterial hypertension and diabetes, 597
Do-not-resuscitate orders
in Swedish medical wards, 139
Drug events
as a cause of hospitalization, 83
Drug reactions
adverse, 83, 353, 379, 627
Drug-related admissions
to a cardiology department, 379
Drugs
patient compliance, 83

EEFA synthase
potential marker for alcohol abuse, 557
Echocardiography
of atrioventricular plane displacment, 569
Endothelium
role in acute ischaemic heart disease, 361
Epidemiology
of diabetes mellitus, 267
of ischaemic heart disease in Norway, 483
Erythrocyte
sodium transport in malignant hypertension, 133
Erythrocyte fluidity
and blood viscosity in hypertension, 623
Erythropoietin
pharmacokinetics in chronic renal failure, 53

Familial hypercholesterolaemia
effects of pravastatin or cholestyramine therapy, 241
pravastatin and bile acid-binding resins in, 261
serum creatine kinase levels in, 493
Fat distribution
and alcohol abuse, 311
Fatty acid ethyl esters
and alcohol consumption, 557
Felodipine
in arterial hypertension and diabetes, 597
Fibrate
treatment in primary hypertriglyceridaemia, 425
Fibrinolysis
with recombinant tissue-type plasminogen activator, 279
and coagulation in ischaemic heart disease, 361
for deep venous thrombosis of the leg, 647

Galactorrhoea
compensated hypothyroidism presenting with, 197
Gallstones
alternatives to cholecystectomy, 5
Genes
disease, race and geography, 419
Geography
disease, race and genes, 419
Global assessment
of patients, inter-observer variation, 147
Glomerular filtration rate
and smoking habits in diabetics, 211
before and after kidney donation, 393
Glomerulonephritis
renal failure and non-Hodgkins lymphoma in, 65

Glucose
homeostasis and n-3 fatty acids in diabetes mellitus, 165
tolerance, and hyperinsulinaemia in obesity, 385
tolerance, and antihypertensive therapy, 597
Glutathione transferase
and cardiovascular disease, 17
Glycaemic response
to spaghetti in diabetic subjects, 97
Graves' hyperthyroidism
and transient hypothyroidism, 23
Growth hormone
in acute ischaemic stroke, 287
response to thyrotropin and L-dopa, 435

HMG-CoA reductase
inhibitors, 201
Haemolytic anaemia
endothelial-derived haemostatic factors in, 249
Haemophilia
modern treatment and quality of life, 633
Heat stroke
metabolite and hormonal profiles in, 343
Hereditary myopathy
with paroxysmal myoglobinuria, 43
High density lipoprotein
in hyperlipoproteinaemia, effects of nicotinic acid, 151
Hospital admissions
drug related, 83
Hydrochlorothiazide
effect on plasma lipids and lipoproteins, 323
Hypercalcaemia
parathyroid hormone assays, 465
Hypercholesterolaemia
coronary heart disease in absence of, 415
coronary artery disease without, 471
Hyperglycaemia
treatment in the elderly, 79
in heat stroke, 343
Hyperinsulinaemia
and glucose tolerance in obesity, 385
Hyperkalaemia
treatment with salbutamol inhalation, 35
Hyperlipoproteinaemia
effects of nicotinic acid on high density lipoprotein in, 151
Hyperparathyroidism
secondary, of coeliac disease, 401
Hyperprolactinaemia
and suspected prolactinomas, 435
Hypertension
side-effects of pindolol and atenolol in treatment of, 219
effects of metoprolol and hydrochlorothiazide, 323
effect of verapamil, 339
in Denmark, 443
effects of nisoldipine, 503
drug treatment and glucose metabolism, 597
high urinary cyclic AMP in, 603
in acute stroke, 611
blood viscosity and erythrocyte fluidity in, 623
Hypertriglyceridaemia
fibrate treatment in, 425
Hyperventilation provocation test
in cases of chest pain, 223
Hyperventilation syndrome
diagnosis of, 223

Hypocalcaemia
parathyroid hormone assays, 465
Hypoglycaemia
and insulin therapy, 457
and treatment of diabetes, 511
symptomatic and biochemical, 641
Hypokalaemia
and diuretic drug treatment, 379
Bartter's syndrome and diabetes mellitus, 525
Hypotension
and milk consumption, 477
Hypothyroidism
following transient Graves' hyperthyroidism, 23
and atrial natriuretic peptide levels, 39
presenting with galactorrhoea, 197
parasympathetic activity in, 431
discontinuation of *L*-thyroxine, 497

Indomethacin
effect on paraneoplastic fever, 451
Inflammatory fluids
anaphylatoxins and terminal complement complexes in, 173
Insulin
continuous subcutaneous infusion, 457
conventional therapy, 457
multiple injections, 457
endogenous hypersecretion, and neuroglycopenia, 651
Insulin
sensitivity in alcoholics, 59
Ischaemic heart disease
among Norwegian men, 483
Ischaemic stroke
urinary free cortisol excretion after, 177
pituitary-thyroid axis, prolactin and growth hormone in, 287

Jogging
and osteoarthritis, 295

Kidney donation
and renal reserve filtration capacity, 393

L-dopa
growth hormone, prolactin and TSH response to, 435
L-thyroxine
discontinuation of, in hypothyroidism, 497
Lactic acidaemia
in heat stroke, 343
Left ventricular diastolic function
non-invasive assessment of, 183
Leukotriene B4
in asthmatic patients during wheezing attacks, 91
Life support
withdrawal and withholding of, 139
Lipase
salt resistant activity in Cushing's disease, 257
Lipid
effect of cod liver oil on fatty acid composition, 563
Lipoprotein
pattern in relation to cardiovascular disease, 9
levels, effects of pravastatin or cholestyramine therapy, 241
related coronary risk factors, 317
effect of metoprolol and hydrochlorothiazide on, 323
levels during fibrate treatment, 425
Lipoprotein metabolism
effect of addition of n-3 fatty acids, 165

Magnesium
levels after exposure to cold in primary Raynaud's phenomenon, 235
milk consumption and blood pressure, 477
Malignant hypertension
erythrocyte sodium transport in, 133
Metoprolol
effect on plasma lipids and lipoproteins, 323
Microalbuminuria
renal function in diabetics with, 347
Migraine
extracerebral manifestations in, 299
Milk
effect on blood pressure, 477
Morbidity
in suspected acute myocardial infarction, 129
Mortality
in suspected acute myocardial infarction, 129
in a post-myocardial infarction trial, 253
from ischaemic heart disease in Norway, 483
from aortic valvular stenosis, 591
of pulmonary embolism in streptokinase treatment, 647
Muscle
skeletal, isoform of creatine kinase, 493
Muscle fibre
characteristics in obesity, 385
Myocardial infarction
mortality and morbidity in, 129
and mortality in non-consenters, 253
tissue-type plasminogen activator in, 361
components of delay time in, 519
effect of cod liver oil on plasma lipids after, 563
atrioventricular plane displacement following, 569
neuropeptide Y-like immunoreactivity during, 583
adrenaline levels and pain in, 617
Myotonic dystrophy
sodium selenite and vitamin E treatment in, 577

n-3 fatty acids
and glucose homeostasis in diabetes mellitus, 165
Naproxen
effect on paraneoplastic fever, 451
Nephropathy
in relation to tobacco usage in diabetes mellitus, 121
and treatment of diabetes, 511
Neuroendocrine pancreatic tumours
biochemical and histopathological findings, 103
clinical presentation, 103
Neuroglycopenia
physiopathology and clinical features, 651
Neuropathy
and treatment of diabetes, 511
Neuropeptide Y
-like immunoreactivity, 583
Neuropsychiatric disease
neuroglycopenia-associated, 651
Nicotinic acid
effects on high density lipoprotein in hyperlipoproteinaemia, 151
Nisoldipine
effects on the renin-angiotensin-aldosterone sytem, 503
effects on catecholamines, 503
Nodular goitre
and subclinical thyrotoxicosis, 229
Non-Hodgkins lymphoma
and acute renal failure, 65
Noradrenaline
levels during myocardial infarction, 617

Obesity
glucose tolerance and hyperinsulinaemia in, 385
Osteoarthritis
and jogging, 295
Overdose
with inorganic calcium, 193

Pain
and adrenaline in myocardial infarction, 617
Paraneoplastic fever
amelioration of, 451
Parasympathetic activity
in hypothyroidism, 431
Parathyroid hormone
effect of verapamil on, 339
assays in calcium metabolic disorders, 465
calcium and hypertension, 603
Paroxysmal myoglobinuria
hereditary myopathy with, 43
Periarteritis nodosa
retroperitoneal fibrosis and, 533
Pharmacokinetics
of intravenous recombinant human erythropoietin, 53
Phlegm
production in relation to smoking habits, 115
Pindolol
side-effects in treatment of hypertension, 219
Pituitary-thyroid axis
in acute ischaemic stroke, 287
Plasminogen activator
in treatment of renal artery embolism, 279
Plasminogen activator inhibitor
in thrombocytopenia and haemolytic anaemia, 249
Plethysmography
in diagnosis of deep vein thrombosis, 29
Potassium
milk consumption and blood pressure, 477
Pravastatin
effects in treatment of familial hypercholesterolaemia, 241
efficacy and safety in familial hypercholesterolaemia, 261
Prolactin
in acute ischaemic stroke, 287
response to thyrotropin and L-dopa, 435
Prolactinoma
and hyperprolactinaemia, 435
Pulmonary embolism
caused by streptokinase treatment of thrombosis, 647
Pyridoxal-5-phosphate
in relation to smoking habits, 17

R-R interval variations
parasympathetic activity determined by, 431
Race
disease, geography and genes, 419
Raynaud's phenomenon
and magnesium levels after cold exposure, 235
Renal artery embolism
thrombolysis and recombinant tissue-type plasminogen activator, 279

Renal failure
treatment of hyperkalaemia in, 35
intravenous recombinant human erythropoietin in, 53
and non-Hodgkins lymphoma, 65
and tobacco usage in diabetics, 121
Renal function
and cardiovascular risk factors, 347
Renal reserve filtration capacity
before and after kidney donation, 393
Renin-angiotensin-aldosterone system
effects of nisoldipine on, 503
Renovascular hypertension
captopril test for, 159
Resuscitation
withdrawal and withholding of, 139
Retinopathy
and treatment of diabetes, 511
Retroperitoneal fibrosis
treatment with corticosteroids, 533

Salbutamol
in treatment of hyperkalaemia, 35
Septic arthritis
of the sternoclavicular joint, 275
Serum methylmalonic acid
diagnostic test for cobalamin deficiency, 373
Side-effects
of pindolol and atenolol, 219
Skeletal scintigraphy
in coeliac disease, 401
Smoking
and cardiovascular disease, 17
Smoking habits
and phlegm production, 115
and glomerular filtration rate in diabetics, 211
Sodium
transport in malignant hypertension, 133
Sodium selenite
effect in myotonic dystrophy, 577
Sternoclavicular joint
septic arthritis of, 275
Steroid hormones
and alcohol abuse, 311
Streptokinase
fatal pulmonary embolism caused by, 647
Stroke
acute, hypertension in, 611
Succinate dehydrogenase
activity in hereditary myopathy with paroxysmal myoglobinuria, 43
Systemic sclerosis
left ventricular diastolic function in, 183

TSH
response to thyrotropin and L-dopa, 435
Terminal complement complex
and accumulation of anaphylatoxins, 173
Thalidomide
treatment of severe colitis, 405
Thermography
in diagnosis of deep vein thrombosis, 29
Thrombosis
thermography and plethysmography in diagnosis of, 29
mortality in streptokinase treatment of, 647
Thyroglobulin
after discontinuation of *L*-thyroxine, 497
Thyroid function tests
and diagnosis of subclinical thyrotoxicosis, 229
Thyrotoxicosis
subclinical, management of, 229
Thyrotropin
growth hormone, prolactin and TSH response to, 435
after discontinuation of *L*-thyroxine, 497
Tissue plasminogen activator
in thrombocytopenia and haemolytic anaemia, 249
Tissue-type plasminogen activator
in acute ischaemic heart disease, 361
Tobacco
usage, and risk of nephropathy in diabetics, 121
Toxicity
of inorganic calcium, 193
Trimethoprim-sulphamethoxazole
-associated blood dyscrasias, 353
Tumour necrosis factor-α
in acquired immunodeficiency syndrome, 549

Uraemia
and risk of early death in smokers, 121

Ventricular septal defect
long-term follow-up in, 305
Verapamil
effect on alkaline phosphatase levels, 339
Vitamin A
as a preventive for some forms of cancer, 207
Von Willebrand factor
in thrombocytopenia and haemolytic anaemia, 249

Wheezing attacks
in bronchial asthma, 91